



# LET'S CELEBRATE THE BRIGHTER SIDE OF LIFE

# Orient | CONSUMER LIGHTING electric | CATALOGUE-JAN 2021

HOME | OFFICES | RETAIL | OUTDOOR



# Why Orient?

A pioneer of innovation in lighting and more, Orient Electric is a name you can always trust.

- Orient Electric offers a wide range of lighting products, from LED lighting and fixtures to energy-efficient light bulbs, fluorescent tube lights, as well as consumer and professional luminaires.
- Smart lighting at Orient Electric stands for four Ps: People, Power, Planet and Performance. Our LED lighting solutions comply with photobiological safety norms and are environment-friendly, save energy, and perform even in trying temperature conditions, from cold save storages to boiler rooms.
- Orient Electric provides lighting solutions for the professional and consumer segments, catering to commercial, industrial and residential needs.
- Orient Electric operates their major manufacturing facility in Noida (Uttar Pradesh).
- Orient Electric has a wide network made up of 500 distributors and over 50,000 direct/indirect retail shops, efficiently serviced by 20 company depots across India.
- Orient Electric is the first company in India to receive 3-star and 5-star BEE rating for LED Bulbs.
- Orient Electric is the first company to launch Flicker Controlled Lights with their EyeLuv Range of products.
- Orient Electric has partnered with Indian Government through Energy Efficiency Services Limited (EESL)



# FELICITATIONS THAT SPUR US ON







# SALIENT FEATURES & BENEFITS OF THE LED TECHNOLOGY



**LONG, MAINTENANCE-FREE LIFE** More than 25,000hrs



HIGH POWER FACTOR Power factor more than 0.90



**HIGH LIGHT OUTPUT** 2 times brighter than conventional light sources of similar wattage



**ENERGY EFFICIENT** 60% more savings than conventional lights



**ECO-FRIENDLY, NO MERCURY** 



UNIFORM LIGHT DISTRIBUTION



















O nime

# **SMART LED RANGE**

Wi-Fi controlled Smart LED Lamp
Compatible with Amazon Alexa & Google Home
Operate via Orient Smart App
16 million colours can be generated

Lumen

MRP (₹)

Std. Pkg.

• Dimmable (100-0%)

**Rated Wattage** 



#### **ORISMART LED BATTEN**

	(				
	O star				
0.111	<ul> <li>Wi-Fi controlled Si</li> <li>Compatible with A</li> <li>Operate via Orient</li> <li>Dimmable (100-09)</li> <li>Warm White (3000)</li> </ul>	mazon Alexa Smart App %)	& Google H		
	Rated Wattage	Lumen	MRP (₹)	Std. Pkg.	

#### **ORISMART LED PANEL**

- Compatible with Amazon Alexa & Google Home

- Operate via Orient Smart App
  Dimmable (100-0%)
  Warm White (3000K) to Cool White (6500K) colour

Rated Wattage	Lumen	MRP (₹)	Std. Pkg.	Cut-out Size
15W-RD	1500	2500	20	Ø150mm
15W-SQ	1500	2500	20	Ø150X150mm



**RGB Lights** 16 Million Colours



**Download App** from Google Play Store or App Store









Long Maintenancefree Life of up to 25000hrs



Eco-friendly No Mercury



**Energy Efficient** 60% more savings than conventional lights





# **EMERGENCY LED RANGE**

#### EMERGENCY LED BATTEN

#### Emergency backup time of up to 4hrs

- Automatic 'ON' during emergency mode Lumen drops to 50% of the rated lumen during backup

Rated Wattage	Lumen	MRP (₹)	Std. Pkg.
10W	1000	500	20
20W	2000	1000	10

Note: Available in Cool White (6500K) colour.

#### **EMERGENCY LED LAMP**

0=



- Emergency backup time of up to 4hrs
  Automatic 'ON' during emergency mode
  Lumen drops to 50% of the rated lumen during backup

Rated Wattage	Lumen	MRP (₹)	Std. Pkg.
9W	900	950	20
12W	1200	1150	20

Note: Available in Cool White (6500K) colour.



**EMERGENCY LED PANEL** 



#### **EMERGENCY BULKHEAD**



Emergency backup time of up to 4hrs
Automatic 'ON' during emergency mode
Lumen drops to 50% of the rated lumen during backup

Rated Wattage	Lumen	MRP (₹)	Std. Pkg.
10W	900	1000	20

Note: Available in Cool White (6500K) colour.

Rated Wattage	Lumen	MRP (₹)	Std. Pkg.
10W	1000	800	20

Note: Available in Cool White (6500K) colour.

**Ideal Lighting Solution for** 











ï

ant-

リノンは美にたちでためる



0

Long Maintenancefree Life of up to 25000hrs



Eco-friendly No Mercury



**Energy Efficient** 60% more savings than conventional lights 4-)





# LED LAMP RANGE

# DECO-LED LAMP

For indoor/domestic application on

Rated Wattage	MRP (₹)	Std. Pkg.			
0.5W-Red	60	48			
0.5W-Green	60	48			
0.5W-Blue	60	48			
0.5W-Yellow	60	48			
0.5W-Pink	60	48			
0.5W-White	60	48			
Note: Available in B22 cap only.					



LOW WATTAGE-LED LAMP



• All lamps up to 23W are as per BIS specifications

Rated Wattage	Lumen	MRP (₹)	Std. Pkg.
3W	300	140	60
5W	500	150	60
7W	700	160	60
9W	900	180	60
12W	1200	275	60
14W	1400	325	60



Note: Available in Cool White (6500K), Warm White (3000K) colour with B22 and E27 cap.



Rated Wattage	Lumen	MRP (₹)	Std. Pkg.
18W	1800	425	20
23W	2300	600	20
26W	2600	650	20
30W	3000	700	10
40W	4000	800	10
50W	5000	1200	10
60W	6000	1600	10

**Note:** Available in Cool White (6500K), Warm White (3000K) colour with B22 cap.

Ideal Lighting Solution for









0:0

Shops





Long Maintenancefree Life of up to 25000hrs



Eco-friendly No Mercury



**Energy Efficient** 60% more savings than conventional lights

ř.



# SPECIAL LED LAMP RANGE

#### **MOODLIGHT LED LAMP**



1	Colour of the lamp changeable to Cool White (6500K), Neutral White
	(4000K) & Warm White ( 3000K) with the help of ON-OFF Switch.

Rated Wattage	Lumen	MRP (₹)	Std. Pkg.
9W	900	225	60





#### LED CANDLE LAMP

- High power facter 60% more energy saving than halogen lamp

Rated Wattage	Lumen	MRP (₹)	Std. Pkg.	Сар
2.7W	270	250	50	E-14
PIGMY LED LAI	MP			
PIGMY LED LAI	MP Lumen	MRP (₹)	Std. Pkg.	Сар



Lumen	MRP (₹)	Std. Pkg.	Сар
450	275	50	B22
		.,	., ,

Note: Available in Cool White (6500K), Warm White (3000K) colour.

#### MULTIPURPOSE LED LAMP

- Wattage can be changed to 15W, 8W, 0.5W Night mode available with yellow colour option

Rated Wattage	Lumen	MRP (₹)	Std. Pkg.
15W	1500	500	20

#### MOTION SENSOR LED LAMP

- Automatic 'OFF' when no movement detected and 'ON' again when movement detected Movement of a person will be detected within a range of 15 feet High beam angle  $> 240^{\circ}$

Auto Off after	Rated Wattage	Lumen	MRP (₹)	Std. Pkg.
2 minutes if no movement detected	10W	900	400	25

Stairs

#### **Ideal Lighting Solution for**

) orient

(C)









Wall Lamp

10

Table Lamp



# FLICKER IN LED LIGHTS IS NOT VISIBLE. BUT IT AFFECTS EYE HEALTH.





FIFLUY



RECOMMENDED BY INDIAN MEDICAL ACADEMY FOR PREVENTIVE HEALTH



eyeLuv

## FLICKER CONTROLLED LED RANGE

#### EYELUV LED LAMP



- · Good for eye health
- · High lumen efficacy

0---

· Good for eye health

Rated Wattage	Lumen	MRP (₹)	Std. Pkg.
8W	800	225	60
10W	1000	275	60
12W	1200	300	60

Note: Available in B22 cap with Cool White (6500K) & Warm White (3000K) colour.

#### **EYELUV LED BATTEN**



High lumen efficacy						
Rated Wattage	Lumen	MRP (₹)	Std. Pkg.			
5W	450	250	20			
10W	1000	400	20			
20W	2000	700	20			

Note: Available in Cool White (6500K) colour.

#### **EYELUV LED DOWNLIGHTER**

High Lumen

Efficacy

#### · Good for eye health High lumen efficacy

Rated Wattage Lumen MRP (₹) Std. Pkg. **Cut-out Size** 

Note: Available in Cool White (6500K) & Warm White (3000K) colour.

#### **EYELUV LED PANEL**

Rated Wattage	Lumen	MRP (₹)	Std. Pkg.	Cut-out Size
10W	1000	750	20	105X105mm
15W	1500	850	20	150X150mm
20W	2000	1300	20	205X205mm

Long Life

of up to

25000hrs

 $\ensuremath{\textbf{Note:}}$  Available in Cool White (6500K) and Warm White (3000K) with round and square shape.

Rated Wattage	Lumen	MRP (₹)	Std. Pkg.
36W (2x2)	3600	4000	4

Good for

Eye Health



**Energy Savings** 

## ETERNAL GRACE MOODLIGHT LED BATTEN

100

Different MoodsDifferent Colours









Night lamp feature

Q others

# ETERNAL GRACE SUNLIGHT LED BATTEN

• Highest Lumen Efficacy (>110lm/w)

## **NIGHTGLO LED BATTEN**

• Night Lamp Feature

16







Long Maintenance-free Life of up to 25000hrs



Eco-friendly No Mercury



**Energy Efficient** 60% more savings than conventional lights



# **LED BATTEN RANGE**

#### **ETERNAL GRACE DELITE LED BATTEN**

#### High power factor



High grade PC housing					
Rated Wattage	Lumen	MRP (₹)	Std. Pkg.		
5W Square	450	300	20		
10W Square	1000	450	20		
18W Round	1800	550	20		
20W* Square	2000	600	20		
22W Square	2200	650	20		



ETERNAL GRACE SUNLIGHT LED BATTEN

· High garde aluminium housing for better light and heat dissipation

Note: Available in Cool White (6500K), Warm White (3000K) colour. \*20W also available in red, blue and green colour.

Rated Wattage	Lumen	MRP (₹)	Std. Pkg.
24W	2400	700	20
28W	2800	800	20
36W	4000	850	20

Note: Available in Cool White (6500K) colour.



#### **ETERNAL GRACE MOODLIGHT LED BATTEN**



C orient

• 3 colours available in a single product

Rated Wattage	Lumen	MRP (₹)	Std. Pkg.
18W Square (3CCT)	1800	650	10

Note: Colour-changing LED batten. Cool White (6500K), Neutral White (4000K) & Warm White (3000K) colour, CCT can be changed with the help of ON-OFF switch.



**Ideal lighting Solution for** 





Kitchen



Stairs



Set in and

T

19



Re. F

M.

P



	LED BA	TTEN	I RAN	GE	
GHTGLO LED BATTEN					
	-		_		
	<ul> <li>Instant start with u</li> <li>High power factor</li> <li>LED batten with ni</li> </ul>				BATTEN WITH NIGHT LAMP FEATURE
	Rated Wattage	Lumen	MRP (₹)	Std. Pkg.	
C orien	20W	2000	700	20	0===
	Note: Available in Co	ool White (65	500K) colour.		

#### GRACE PEARL LED GLASS BATTEN

C orient

- · Instant start with uniform light distribution
- Glare-free lights
- High power factor

Rated Wattage	Lumen	MRP (₹)	Std. Pkg.
20W	2000	500	20

Note: Available in Cool White (6500K) colour.

#### GRACE DELITE LED BATTEN-DIMMABLE



Light output can be changed to 100%, 50%, 25% with the help of ON-OFF switch only

Rated Wattage	Lumen	MRP (₹)	Std. Pkg.
20W	2000	700	20



0=



#### **GRACE SAPPHIRE LED GLASS TUBE**



۰G	lare-	free	ligl	ht	ou	tp	but	

Rated Wattage	Lumen	MRP (₹)	Std. Pkg.
20W	2000	650	10

Note: Available in Cool White (6500K) colour.







20



C



Eco-friendly No Mercury



**Energy Efficient** 60% more savings than conventional lights



# LED RECESS PANEL RANGE

#### LED RECESS PANEL-ECO

High-grade polycarbonate housing for aesthetic appeal
Highest lumen output in the industry



LED RECESS PANEL-METAL

Rated Wattage	Lumen	MRP (₹)	Std. Pkg.	Cut-out Size
3W-Round	225	350	20	Ø70mm
3W-Square	225	350	20	70mmx70mm
6W*-Round	450	550	20	Ø110mm
6W-Square	450	550	20	110mmx110mm
12W-Round	1080	750	20	Ø160mm
12W-Square	1080	750	20	160mmx160mm
15W-Round	1200	800	20	Ø160mm
15W-Square	1200	800	20	160mmx160mm
18W-Round	1620	950	10	Ø205mm
18W-Square	1620	950	10	205mmx205mm



Note:- Available in Cool White (6500K), Warm White (3000K), Neutal White (4000K) colour \*6W also available in red, blue and green colour.

# 

#### Aluminium housing for better heat dissipation

Rated Wattage	Lumen	MRP (₹)	Std. Pkg.	Cut-out Size
3W-Round	240	400	20	Ø70mm
3W-Square	240	400	20	70mmx70mm
6W-Round	430	700	20	Ø110mm
6W-Square	430	700	20	110mmx110mm
12W-Round	880	900	20	Ø160mm
12W-Square	880	900	20	160mmx160mm
18W-Round	1600	1400	06	Ø205mm
18W-Round	1600	1400	06	205mmx205mm
24W-Square	2100	1800	10	270mmx270mm
36W-Square	3600	3500	04	595mmx595mm



**Note:** Available in Cool White (6000K), Neutral White (4000K) & Warm White (3000K) colour.

# LED RECESS FULL SCREEN PANEL . Rimless diffusor for better and seamless light distribution

 Rated Wattage
 Lumen
 MRP (₹)
 Std. Pkg.

 10W
 1000
 500
 20

10W	1000	500	20	60mm
15W	1500	550	20	55-85mm
20W	1800	800	20	45-135mm
24W	2160	900	20	45-135mm

#### ADJUSTABLE CUT-OUT OPTION AVAILABLE



**Note:**- Available in Cool White (6500K), Warm White (3000K), colour with round & square shape.

Ideal Lighting Solution for

0 ===







**Cut-out Size** 









Long Maintenancefree Life of up to 25000hrs

1000



Eco-friendly No Mercury



**Energy Efficient** 60% more savings than conventional lights






# LED RECESS PANEL RANGE

#### LED BACKLIT PANEL

High-grade polycarbonate housing for better aesthetic appeal
High lumen output

- High power factor

Rated Wattage	Lumen	MRP (₹)	Std. Pkg.	Cut-out Size
10W-RD	900	700	20	Ø105mm
10W-SQ	900	700	20	105mmx105mm
15W-RD	1500	800	20	Ø150mm
15W-SQ	1500	800	20	150mmx150mm
20W-RD	2000	1200	10	Ø205mm
20W-SQ	2000	1200	10	205mmx205mm



Note: Available in Cool White (6000K), Warm White (3000K), Neutral White (4000K) colour.


#### LED BACKLIT PANEL-DIMMABLE

- High-grade polycarbonate housing for aesthetic appeal
- · Light output can be changed to 100%, 50%, 25% with the help of ON-OFF switch

Rated Wattage	Lumen	MRP (₹)	Std. Pkg.	Сар
20W-Round	2000	1500	10	Ø205mm
20W-Square	2000	1500	10	205mm x 205mm

Note:- Available in Cool White (6500K) colour.






#### LED MOODLIGHT BACKLIT PANEL-3CCT

**3**in

Cool Ne

- High-grade polycarbonate housing for aesthetic appeal
  3 colours available in single product



**Note:** Colour changing LED panel, Cool White (6500K) Neutral White (4000K) & Warm White (3000K) colour. Colour can be changed with the help of ON-OFF switch.

**Ideal Lighting Solution for** 





Residences







N TOLO L





Long Maintenancefree Life of up to 25000hrs



Eco-friendly No Mercury



**Energy Efficient** 60% more savings than conventional lights





# LED SURFACE PANEL RANGE

#### LED SURFACE PANEL



• Aluminium housing for better heat dissipation

· High power factor

Lumen	MRP (₹)	Std. Pkg.				
430	800	20				
430	800	20				
800	1000	20				
800	1000	20				
1600	1400	6				
1600	1400	6				
	430 430 800 800 1600	430         800           430         800           800         1000           800         1000           1600         1400				



Note: Available in Cool White (6000K), Warm White (3000K) colour.

### LED SURFACE PANEL-FULL SCREEN

High-grade polycarbonate housing for better aesthetic appeal
Better light distribution with edgeless diffusor

Rated Wattage	Lumen	MRP (₹)	Std. Pkg.
6W-Round	510	800	20
6W-Square	510	800	20
12W-Round	990	1000	20
12W-Square	990	1000	20
18W-Round	1480	1400	10
18W-Square	1480	1400	10
24W-Round	1980	1800	10
24W-Square	1980	1800	10

Note: Available in Cool White (6000K), Warm White (3000K) colour.



C prime

#### LED STRIKER



Rated Wattage	Lumen	MRP (₹)	Std. Pkg.
3W	200	200	100
6W	400	400	100



**Note:** Available in Cool White (6500K), Warm White (3000K), red, blue, green & pink colour.

**Ideal Lighting Solution for** 





Residences





26







Long Maintenance-free Life of up to 25000hrs



Eco-friendly No Mercury



8

**Energy Efficient** 60% more savings than conventional lights





# LED DOWNLIGHTER RANGE

#### MOON LITE LED DOWNLIGHTER



	Instant start	with	uniform	light	t distrik	oution
--	---------------	------	---------	-------	-----------	--------

Rated Wattage	Lumen	MRP (₹)	Std. Pkg.	Cut-out Size
3W (Mini)*	240	200	20	Ø48mm
5W*	450	400	20	Ø90mm
6W*	600	300	20	Ø48mm
9W	765	450	20	Ø90mm

\*Available in Cool White (6500K), Warm White (3000K), red, blue, green & pink colour.



#### VIVID LED SPOTLIGHT-ECO



Rated Wattage	Lumen	MRP (₹)	Std. Pkg.	Cut-out Size
2W	100	200	50	Ø35mm

**Note:** Available in Cool White (6000K), Warm White (3000K), red, blue, green & pink colour.



#### **ETERNAL BULKHEAD**



Rated Wattage	Lumen	MRP (₹)	Std. Pkg.
5W	450	300	50



Ideal Lighting Solution for





Residences







Long Maintenancefree Life of up to 25000hrs



Eco-friendly No Mercury



**Energy Efficient** 60% more savings than conventional lights

29

E

Constant of the second



#### LED COB DOWNLIGHTER-SLIM

- Easy installation
   Slim housing design
   In-built lens for uniform light distribution
   Beam angle-40°
- Swivel arrangement-up to 90°



Rated Wattage	Lumen	MRP (₹)	Std. Pkg.	Cut-out Size
3W-Round	210	450	20	Ø62mm
3W-Square	210	450	20	62mmx62mm
6W-Round	450	600	20	Ø72mm
6W-Square	450	600	20	72mmx72mm
9W-Round	680	750	20	Ø77mm
9W-Square	680	750	20	77mmx77mm
15W-Round	1150	1200	10	Ø96mm
15W-Square	1150	1200	10	96mmx96mm
18W-Round	1500	1500	10	Ø106mm
18W-Square	1500	1500	10	106mmx106mm
24W-Round	1920	2000	10	Ø138mm
30W-Round	2000	2600	10	Ø138mm

Note: Available in Cool White (6000K), Warm White (3000K) colour.

#### LED SURFACE TRACK LIGHT



# Beam angle-38° High lumen efficacy

Rated Wattage	Lumen	MRP (₹)	Std. Pkg.
7W	600	1000	10
10W	800	1050	10
15W	1200	1300	20
20W	1600	2000	20
30W	2400	2500	20

Note: Available in Cool White (6000K), Neutral White (4000K),

#### **COB TRACK LIGHT**

- Beam angle-38°
  High lumen efficacy
- Suitable for 230V single phase track

Rated Wattage	Lumen	MRP (₹)	Std. Pkg.
15W	1200	1200	20
20W	1500	1800	20
30W	2400	2200	20



**Ideal Lighting Solution for** 





Residences



Commercial **Spaces** 









High Power Factor Power Factor more than 0.90



Eco-friendly No Mercury



**Energy Efficient** 60% more savings than conventional lights



#### LED STRIP LIGHT



# Long, maintenance-free life of up to 30,000hrs High lumen output (500 lm/metre)

Rated Wattage	Lumen	MRP (₹)	Std. Pkg.
24W, IP20*	2500	800	50
24W, IP65**	2000	1000	50
48W, IP20***	3500	1000	50

Indicated wattage is for 5m roll. Driver not included. \*Available in White, Warm White, Red, Blue, Green & Pink colour. \*\*Available in Cool White, Warm White & Blue colour. \*\*\*Available in Cool White, Warm White colour.

#### LED STREET LIGHT



- High lumen efficiency
  Saves up to 80% more energy as compared to HPSV/MH street light
  Long maintenance-free life up to 30000hrs

Rated Wattage	Lumen	MRP (₹)	Std. Pkg.
20W	2200	2200	8
30W	3300	3000	8
40W	4400	4500	8
70W	7700	5500	4

Note: Available in Cool White (5700K) colour.

# High Lumen Efficacy 110 lm/W



#### LED FLOOD LIGHT





**Rated Wattage** 

10W	1000	1500	40
20W	2000	2500	40
30W	3000	3500	10
50W	5000	4500	4
70W	7000	5500	4
100W	10000	7000	4
150W	13500	10000	2
200W	18000	14000	2

Lumen

Note: Available in Cool White (6000K) colour.

**Ideal Lighting Solution for** 





MRP (₹)

Std. Pkg.









-

5

â





#### LED SURFACE RING

π

• Easy to fit, with an Eco Recess Panel to make it into a surface panel

Rated Wattage	MRP (₹)	Std. Pkg.
6W-Round	250	20
6W-Square	250	20
12W-Round	300	20
12W-Square	300	20
18W-Round	400	20
18W-Square	400	20





			1401/1	
Operating	voitade	rande is	14UV TO	7777

- Operating temp. is 0° to 50°C 12V output LED driver



Rated Wattage	MRP (₹)	Std. Pkg.
24W	300	30
48W	600	30



#### **SELF-ADHESIVE PVC TAPE**



#### • Long-lasting adhesive property for 12 months

Length	MRP (₹)
7m	15

Note: Available in Red, Blue, Green, Yellow and Black colours.





## **Our Belief: Sustainable Development**

At Orient Electric, we firmly believe that 'development', in its true sense, satisfies the present needs without compromising on the needs of the future. Natural resources are the key and a prerequisite for development. Modern times have witnessed ceaseless expansion of economic activities and a high increase in productivity worldwide. This has put an alarming amount of stress on our natural resources on account of a huge increase in energy consumption and carbon emission.

The power required for lighting is one such natural resource that faces huge pressure due to rampant economic development. As the world adopts a 24x7 workplace culture, lighting requirements have increased from 10–12 hours a day to almost 20 hours a day.

In keeping with this, the responsibility of reducing the electricity load used for lighting, and thereby, also reducing carbon emissions, rests on the shoulders of lighting manufacturers, consultants, architects and project implementers.

Orient Electric is committed towards understanding the needs of consumers and designing and developing innovative, cost-effective solutions to make their lives smarter and simpler. Our smart innovations aim to boost productivity by two times, while reducing energy consumption by half.

Pursuing this noble goal gives us impetus, and we promise to offer environment-friendly lighting solutions for businesses, homes and public utilities. Our lighting solutions are aesthetically designed with a prime focus on reliability, safety and energy efficiency. Together, let's contribute to the global cause of reducing carbon emission and leave a sustainable footprint for our future generations.



rientelectric.com rientelectric.com orientelectric.com

#### **BRANCH OFFICES**

#### NORTH: - II. \*

Madurai:

Cochin:

EAST:

Vijaywada:

Secunderabad:

Delhi:	9654980990	Raj.kumar@orientelectric.com
Ghaziabad:	9654980990	Raj.kumar@orientelectric.com
Faridabad:	7838550671	munish.kumar@orientelectric.com
Chandigarh:	9216478812	sanjeev.talwar@orientelectric.com
Jammu:	9216478812	sanjeev.talwar@orientelectric.com
Jaipur:	9830600966	biplab.das@orientelectric.com
Lucknow:	9709563012	sanjay.verma@orientelectric.com
Rishikesh:	9830600966	biplab.das@orientelectric.com
WEST:		
Mumbai:	7045779958	Sanjay.shelar@orientelectic.com
Pune:	9930511225	ajay.singh@orientelectric.com
Indore:	7566201004	sunil.nahatkar@orientelectric.com
Indore: Nagpur:	7566201004 9826470988	sunil.nahatkar@orientelectric.com sandeep.mishra@orientelectric.com
Nagpur:	9826470988	sandeep.mishra@orientelectric.com
Nagpur: Raipur:	9826470988 9977002729	sandeep.mishra@orientelectric.com satyam.dwivedi@orientelectric.com
Nagpur: Raipur:	9826470988 9977002729	sandeep.mishra@orientelectric.com satyam.dwivedi@orientelectric.com
Nagpur: Raipur: Ahmedabad:	9826470988 9977002729	sandeep.mishra@orientelectric.com satyam.dwivedi@orientelectric.com

9994457638

9849197892

9745048800

9642325967

ntelectric.com c.gopi@orientelectric.com bsenthil.kumar@orientelectric.com yakub.khan@orientelectric.com madhu.s@orientelectric.com n.srinivasan@orientelectric.com

Kolkata:	9836643443
Cuttack:	9937369701
Patna:	9934588650
Ranchi:	9934545042
Guwahati:	9435142407

prabal.basu@orientelectric.com sudhanshu.panigrahi@orientelectric.com abhay.kumar@orientelectric.com vikash.jaiswal@orientelectric.com ashis.dey@orientelectric.com








### **CONSUMER LIGHTING CATALOGUE-JAN 2021**

#### **Terms and Conditions**

- MRP rates are inclusive of GST. These are the maximum recommended prices. However, dealers/retailers are free to sell below the maximum recommended prices.
- · The price list is subject to change without any prior notice.
- All prices are subject to general terms and conditions of the company.
- Disputes, if any, are subject to Delhi jurisdiction only.
- This price list supersedes all previous price lists.
- Every effort has been made to ensure accuracy in compilation of technical/commercial details within this publication. However, in case of a discrepancy, the management's decision shall be final.
- Specifications and performance data are constantly changing; current details should, therefore, be checked with the company.
- Displayed product images in the catalogue are only for indicative purposes and may differ from the actual product.
- Lumen declared in catalogue is for Cool White (6000K/6500K) CCT at 220-240 Volts.

Lighting Business Unit Orient Electric Limited C-130, Sector 63, Noida-201301, U.P. India Head Office Orient Electric Limited 240, Okhla Industrial Area Phase III Road, New Delhi-110020

FANS | HOME APPLIANCES | LIGHTING | SWITCHGEAR

Website: www.orientelectric.com | Email: customercarelighting@orientlectric.com Orient Helpline No.- 1800 103 7574 | Customer Care: 91-120-4894900 | Follow us on **F** in **S**